## **Centre for Distance and Online Education**

# University of Kashmir

(NAAC Accredited A+)

### **Notice for Quotation**

On behalf of the Director CDOE sealed Quotations are invited from the OEMs/firms with OEM authorization or resellers ship for the supply of below mentioned items with given specifications.

S.No	Name of the product	Quantity Required
01.	IP DOME CAMERA 4 MP 30 METER IR (SITC): Min Image Sensor 1/2.7 Progressive Scan CMOS Min Resolution 2560 1440 or equivalent or better Min WDR should be 120dB IR Range Camera Shall Support Min 30 m IR or better Behavior Analysis Line crossing detection, intrusion detection, Motion detection Protocols TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, NTP, IPv4, IPv6 Communication Interface 1 RJ45 10M/100M Operating Conditions -20 C to 50 C Protection Level IP67 Certifications CE, FCC etc	52 No.
02.	IP BULLET CAMERA 4 MP 30 METER IR (SITC): Min Image Sensor 1/2.7 Progressive Scan CMOS Min Resolution 2560 1440 or equivalent or better Min WDR should be 120dB IR Range Camera Shall Support Min 30 m IR or better Behavior Analysis Line crossing detection, intrusion detection, Motion detection Protocols TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, NTP, IPv4, IPv6 Communication Interface 1 RJ45 10M/100M Operating Conditions -20 C to 50 C Protection Level IP67 Certifications CE, FCC etc	11 No.

NETWORK VIDEO RECORDER (4-CH) NVR	1 No.
(SITC)	
Incoming bandwidth NVR Shall Support 40	
Mbps or better	
MP resolution or higher	
HDMI output resolution NVR Shall Support 4K (3840 2160)	
Internal storage supports 1 HDDs expandable up to 8 TB     Network protocols TCP/IP_DHCP	
DNS, DDNS, NTP, SMTP, NFS, iSCSI,	
Network interface 1, RJ-45 10/100	
USB interface 2 USB 2.0	
Two-way audio NVR Shall Support1-ch,	
) (####################################	
• Working temperature 0 C to 50 C	
Certifications CE, FCC	
8 TB SURVEILLANCE HARD DISK (SITC	2 No.
4 TB SURVEILLANCE HARD DISK (SITC	1 No.
SUPPLY, INSTALLATION, TESTING COMMISSIONING OF 2.5MM WIRE SINGLE CORE	300 Mtr Approx
LAYING COMMISSIONING OF PVC	200 Mtr
CONDUIT, 25MM FRL GRADE/PIPES AND SUPPLY OF SADDLES, FASTNERS, HANGERS, STEEL TRAYS SCREWS ETC OF STANDARD GRADE	Approx
Laying of UTP Cat6 Cable	1200 mtrs
Racks and other accessories installation should be included.	Approx
PVC Box for Camera	63 No.
PURE SINE WAVE 2 KVA INVERTER	01 No.
Micro Controller based Intelligent Control Design. LED Display Indications (Status Fault) CCCV Technology with Auto Trickle Mode Smart Overload Sense and Short Circuit Protection Battery State Monitoring Mains Input Voltage Range Slide Selection Switch" RATING: 2 kVA;24 V Higher 180 AH Battery 2.NO or as per requirment Type: Tall Tubular container pro series	
	(SITC) IP video input 4-ch simultaneously with synchronized real-time playback Incoming bandwidth NVR Shall Support 40 Mbps or better Outgoing bandwidth NVR Shall Support 50 Mbps or better Recording resolution NVR Shall Support up to 6 MP resolution or higher HDMI output resolution NVR Shall Support 4K (3840 2160)  • Internal storage supports 1 HDDs expandable up to 8 TB • Network protocols TCP/IP, DHCP, DNS, DDNS, NTP, SMTP, NFS, iSCSI, UPnP, HTTPS • Network interface 1, RJ-45 10/100 Mbps self-adaptive Ethernet interface • USB interface 2 USB 2.0 • Two-way audio NVR Shall Support1-ch, RCA • Working temperature 0 C to 50 C  Certifications CE, FCC  8 TB SURVEILLANCE HARD DISK (SITC  4 TB SURVEILLANCE HARD DISK (SITC  SUPPLY, INSTALLATION, TESTING COMMISSIONING OF 2.5MM WIRE SINGLE CORE  LAYING COMMISSIONING OF PVC CONDUIT, 25MM FRL GRADE/PIPES AND SUPPLY OF SADDLES, FASTNERS, HANGERS, STEEL TRAYS SCREWS ETC OF STANDARD GRADE  Laying of UTP Cat6 Cable Racks and other accessories installation should be included.  PVC Box for Camera  PURE SINE WAVE 2 KVA INVERTER  Micro Controller based Intelligent Control Design. LED Display Indications (Status Fault) CCCV Technology with Auto Trickle Mode Smart Overload Sense and Short Circuit Protection Battery State Monitoring Mains Input Voltage Range Slide Selection Switch" RATING: 2 kVA ;24 V Higher

#### Note:-

- 1. Serial Nos. 6, 7, and 8 are tentative and may vary at the time of Installation.
- 2. Sealed quotations in the form of hard copy should reach to the office of Director by or before 20-02-2025 up to 3.30 pm.
- 3. The Departmental Purchase Committee of the Centre has the right to accept or reject any quotations without assigning any reason whatsoever.

No. F (Invite-Quotation) CDOE/KU/2025 Dated. 14-02-2025

Assistant Registrar

#### Copy to:-

- 1. Sr. PA to Director for kind information to the Director, DOE
- 2. Convenor, Departmental Purchase Committee CDOE
- 3. I/C IT with the request to upload the notice on website of Centre
- 4. File